

Appendix 2

Title: Spiritual values shape taxonomic diversity, vegetation composition, and conservation status in woodlands of the Northern Zagros, Iran

Table A2.1: Plant species found in sacred groves (SG) and surrounding woodlands (SW) of Baneh area. Scientific names follow the International Plant Name Index (<https://www.ipni.org/>). Common plant names in English are given, if appropriate, at species or genus level. Abbreviations for life form: Ch, Chamaephyte; Cr, cryptophyte; He, hemicryptophyte; Ph, phanerophyte; and Th, therophyte. Conservation status of species evaluated based on IUCN categories at national level (Jalili and Jamzad 1999). Abbreviations for IUCN plant categories: CR, critically endangered; DD, data deficient; EN, endangered; LC, least concern; NE, not evaluated; NT, near threatened; and VU, vulnerable. Constancy classes (I: 0-20%, II: 21-40%, III: 41-60%, IV: 61-80%, and V: 81-100%) provided for each species at all sites (All), sacred groves (SG), and surrounding woodlands (SW) respectively.

Family	Scientific name	Common English name	Life form	Conservation status	Constancy classes		
					All	SG	SW
Acanthaceae	<i>Acanthus dioscoridis</i> L.	Dioscorides' Bear's-breech	He	NT	I	I	I
Aceraceae	<i>Acer monspessulanum</i> L.	Montpellier maple	Ph	VU	I	I	I
Amaryllidaceae	<i>Allium atroviolaceum</i> Boiss.	Broadleaved wild leek	Cr	VU	I	I	I
	<i>Allium eriophyllum</i> Boiss.	Wild garlic	Cr	NE	I	I	0
	<i>Allium hooshidaryae</i> Mashayekhi, Zarre & R.M.Fritsch	Wild garlic	Cr	CR	I	I	0
	<i>Allium jesdianum</i> Boiss.& Buhse	Wild garlic	Cr	VU	I	I	0
	<i>Allium macrochaetum</i> Boiss. & Hausskn. ex Boiss.	Wild garlic	Cr	NT	I	II	I
	<i>Allium saralicum</i> R.M. Fritsch	Wild garlic	Cr	CR	I	I	0
	<i>Allium stamineum</i> Boiss.	Wild garlic	Cr	VU	I	0	I
Anacardiaceae	<i>Pistacia atlantica</i> Desf.	Persian turpentine tree	Ph	NT	I	I	I
Apiaceae	<i>Bunium elegans</i> (Fenzl) Freyn	Pignut	He	NE	III	III	III
	<i>Chaerophyllum aureum</i> L.	Golden chervil	He	NT	I	III	I
	<i>Chaerophyllum macropodum</i> Boiss.	Chervil	He	NT	I	I	I
	<i>Chaerophyllum macrospermum</i> (Willd. ex Schult.) Fisch. & C.A.Mey.	Chervil	Cr	NT	I	I	0
	<i>Falcaria vulgaris</i> Bernh.	Longleaf	He	NT	I	I	0
	<i>Grammosciadium scabridum</i> Boiss.	-	Th	NE	I	I	I
	<i>Grammosciadium platycarpum</i> Boiss. & Hausskn. ex Boiss.	-	He	NE	I	I	0
	<i>Heptaptera anatolica</i> (Boiss.) Tutin	-	He	NE	I	III	0
	<i>Heracleum persicum</i> Desf. ex Fisch.,	Persian	He	NT	I	I	0

	C.A.Mey. & Avé-Lall.	hogweed					
	<i>Johreniopsis scoparia</i> (Boiss.) Pimenov	-	He	DD	I	I	I
	<i>Malabaila sekakul</i> Boiss.	-	He	NT	I	IV	0
	<i>Physocaulis nodosus</i> W.D.J.Koch	-	Th	NE	I	I	0
	<i>Prangos ferulacea</i> Lindl.	-	He	LC	II	IV	I
	<i>Scandix iberica</i> Heldr. ex Boiss.	Shepherd's-needle	Th	NE	I	I	I
	<i>Scandix stellata</i> Banks & Sol.	Shepherd's-needle	Th	NE	I	I	0
	<i>Torilis leptophylla</i> Rchb.f.	Hedge-parsley	He	NE	IV		
	<i>Turgenia latifolia</i> Hoffm.	Greater bur-parsley	Th	NE	I	I	I
Araceae	<i>Arum conophalloides</i> Kotschy ex Schott	Lords-and-ladies	Cr	NT	I	I	0
	<i>Arum virescens</i> Stapf	Lords-and-ladies	Cr	NT	I	II	0
Aristolochiaceae	<i>Aristolochia bottae</i> Jaub. & Spach	Birthwort	Cr	NE	I	I	0
Asparagaceae	<i>Bellevalia olivieri</i> (Baker) Wendelbo	Hyacinth	Cr	NT	I	III	0
	<i>Muscari comosum</i> Mill.	Tassel hyacinth	Cr	NE	II	IV	I
	<i>Muscari longipes</i> Boiss.	Grape hyacinth	Cr	NE	I	I	0
	<i>Ornithogalum brachystachys</i> K.Koch	Star-of-Bethlehem	Cr	VU	I	I	0
	<i>Ornithogalum cuspidatum</i> Betrol.	Star-of-Bethlehem	Cr	VU	I	I	I
	<i>Ornithogalum sanandajense</i> Marooofi	Star-of-Bethlehem	Cr	EN	I	I	0
	<i>Puschkinia scilloides</i> Adams	Striped squill	Cr	NT	I	I	0
Asteraceae	<i>Achillea biebersteinii</i> Afan.	Yarrow	He	VU	I	I	0
	<i>Achillea wilhelmsii</i> K. Koch	Yarrow	He	LC	III	I	IV
	<i>Anthemis altissima</i> L.	Chamomile	Th	NE	I	I	0
	<i>Anthemis haussknechtii</i> var. <i>haussknechtii</i> Boiss. & Reut.	Chamomile	Th	NE	I	0	I
	<i>Anthemis tinctoria</i> L.	Yellow chamomile	He	NE	I	I	0
	<i>Carduus arabicus</i> Jacq.	Arabian thistle	Th	NE	I	I	0
	<i>Centaurea aggregata</i> Fisch. & C.A.Mey.	Knapweed	He	NE	I	I	0
	<i>Centaurea behen</i> L.	Knapweed	He	VU	I	II	I
	<i>Centaurea iberica</i> Trevir. ex Spreng.	Knapweed	Th	NE	I	0	I
	<i>Centaurea solstitialis</i> L.	Yellow Starthistle	He	NE	I	I	I
	<i>Centaurea virgata</i> subsp. <i>squarrosa</i> (Willd.) Gugler	Knapweed	Th	NE	I	I	I
	<i>Cephalorrhynchus rechingerianus</i> Tuisl	-	Cr	VU	I	II	0
	<i>Chardinia orientalis</i> (L.) Kuntze	Eastern shardeni	Th	NE	III	I	III
	<i>Chondrilla juncea</i> L.	Rush skeletonweed	Th	NE	I	0	I
	<i>Cousinia fursei</i> Rech.f.	-	He	LC	I	I	I
	<i>Cousinia i-lata</i> Boiss. & Hausskn. ex Boiss.	-	He	VU	I	0	I
	<i>Crepis alpina</i> L.	Alpine hawksbeard	Th	NE	I	0	I

	<i>Crepis sancta</i> (L.) Bornm.	Holy hawksbeard	Th	NE	I	0	I
	<i>Crupina crupinastrum</i> (Moris) Vis.	Southern Crupina	He	NE	I	I	I
	<i>Echinops inermis</i> Boiss. & Hausskn.	Globe thistle	He	VU	I	I	0
	<i>Echinops orientalis</i> Trautv	Eastern globe thistle	He	NE	II	I	II
	<i>Eryngium billardierei</i> F.Delaroche	Eryngo	He	NE	I	II	I
	<i>Filago arvensis</i> L.	Field cottonrose	Th	NE	III	I	III
	<i>Garhadiolus angulosus</i> Jaub. & Spach	-	Th	NE	II	I	III
	<i>Gundelia tournefortii</i> L.	Tumble thistle	Cr	NT	I	I	I
	<i>Helichrysum armenium</i> DC.	Armenian everlasting	He	NE	I	I	I
	<i>Hieracium echioides</i> Lumn.	Adderhead hawkweed	He	NE	I	I	0
	<i>Hieracium procerum</i> Fr.	Tall hawkweed	He	NE	I	0	I
	<i>Lactuca serriola</i> L.	Prickly lettuce	Th	LC	I	I	0
	<i>Lapsana communis</i> L.	Nipplewort	Th	NE	I	III	0
	<i>Onopordum carduchorum</i> Bornm. & Beauverd	Donkey thistle	He	NE	I	I	I
	<i>Picnomon acarna</i> (L.) Cass.	Thistle	Th	NE	II	I	III
	<i>Pimpinella aurea</i> DC.	Burnet-saxifrage	He	NE	I	I	I
	<i>Rhaponticum insigne</i> (Boiss.) Wagenitz	Knapweed	He	NE	I	I	0
	<i>Scariola orientalis</i> (Boiss.) Soják	Oriental lettuce	He	NE	II	I	III
	<i>Scorzonera laciniata</i> Vahl ex DC.	Scorzonera	Cr	NE	I	III	0
	<i>Scorzonera mucida</i> Rech.f., Aellen & Esfand.	Scorzonera	Cr	LC	I	I	I
	<i>Scorzonera phaeopappa</i> Boiss.	Scorzonera	Cr	NE	I	I	0
	<i>Senecio orientalis</i> Friv. ex Griseb.	Ragwort	He	NE	I	I	0
	<i>Senecio vernalis</i> Franch.	Eastern groundsel	He	NE	I	I	I
	<i>Serratula grandifolia</i> P.H.Davis	Saw-wort	He	EN	I	I	0
	<i>Taraxacum montanum</i> H.Koidz.	Mountain dandelion	He	NE	I	I	I
	<i>Tragopogon latifolius</i> Boiss.	Goat's-beard	He	EN	I	I	I
	<i>Tragopogon buphthalmoides</i> Boiss.	Goat's-beard	Cr	EN	I	I	I
	<i>Tragopogon graminifolius</i> DC.	Goat's-beard	He	NE	I	I	0
	<i>Xeranthemum squarrosum</i> Boiss.	Immortelle	He	NE	I	I	0
Boraginaceae	<i>Anchusa italica</i> Retz. var. <i>italica</i>	Italian bugloss	He	NE	I	0	I
	<i>Buglossoides arvensis</i> L. I.M.Johnst.	Corn gromwell	Th	NE	I	I	0
	<i>Myosotis lithospermifolia</i> Hornem.	Forget-me-not	He	NE	I	I	0
	<i>Myosotis ramosissima</i> Rochel	Forget-me-not	He	NE	I	0	I
	<i>Onosma subsericea</i> Freyn	Onosma	He	NE	I	I	0
	<i>Rochelia disperma</i> Hochr.	-	Th	NE	I	0	I
	<i>Symphytum kurdicum</i> Boiss. & Hausskn. ex Boiss.	Kurdish comfrey	He	VU	I	III	I
Brassicaceae	<i>Alliaria petiolata</i> (M. Bieb.) Cavara & Grande	Garlic mustard	He	NE	I	IV	I
	<i>Alyssum stapfii</i> Vierh.	Stapf's alison	Th	NE	I	0	I

	<i>Alyssum szovitsianum</i> Fisch. & C.A.Mey.	Szovits' alison	Th	NE	I	I	I
	<i>Arabis nova</i> Vill.	Ear rock-cress	Th	NE	I	I	0
	<i>Cardaria draba</i> Desv.	Hoary cress	He	NE	I	I	I
	<i>Erysimum collinum</i> Andr.	Wallflower	Th	NE	I	I	0
	<i>Fibigia clypeata</i> (L.) Medik.	-	He	NE	I	I	0
	<i>Neslia apiculata</i> Fisch., C.A.Mey. & Avé-Lall.	Ball mustard	Th	NE	I	0	I
	<i>Parlatoria rostrata</i> Boiss. & Hohen.	-	Th	LC	I	I	0
	<i>Thlaspi perfoliatum</i> L.	Perfoliate penny-cress	Th	NE	I	I	I
Campanulaceae	<i>Asyneuma amplexicaule</i> (Willd.) Hand.-Mazz.	-	Cr	NE	I	I	0
	<i>Campanula involuocrata</i> Aucher ex A.DC.	Bellflower	He	NT	I	I	I
	<i>Legousia speculum-veneris</i> (L.) Chaix	Venus's-looking-glass	Th	NE	I	I	0
Caprifoliaceae	<i>Cephalaria syriaca</i> Schrad.	Syrian cephalaria	Th	NE	I	I	0
	<i>Lonicera nummulariifolia</i> Jaub. & Spach	Dwarf honeysuckle	Ph	NE	I	IV	0
	<i>Pterocephalus plumosus</i> Coult.	-	He	NE	I	0	I
	<i>Valerianella dactylophylla</i> Boiss. & Hohen.	Corn salad	Th	NE	I	I	I
Caryophyllaceae	<i>Agrostemma githago</i> L.	Corncockle	Th	NE	I	I	0
	<i>Arenaria serpyllifolia</i> L. var. <i>serpyllifolia</i>	Thyme-leaved sandwort	Th	NE	III	0	III
	<i>Cerastium dichotomum</i> L.	Forked chickweed	Th	NE	II	I	II
	<i>Dianthus strictus</i> Sm.	Pink	He	NE	I	0	I
	<i>Herniaria glabra</i> L. var. <i>glaberrima</i> Fenzl	Smooth rupturewort	He	NE	I	0	I
	<i>Petrorhagia cretica</i> (L.) P.W.Ball & Heywood	Cretan pink	Th	NE	I	0	I
	<i>Silene ampullata</i> Boiss.	Catchfly	He	NE	I	I	I
	<i>Silene latifolia</i> Britten & Rendle	White campion	He	NE	I	III	0
	<i>Silene prilipkoana</i> Schischk.	Catchfly	He	NE	I	I	0
	<i>Stellaria media</i> (L.) Vill.	Common chickweed	Th	NE	I	I	I
	<i>Vaccaria grandiflora</i> Jaub. & Spach	Cowherb	Th	NE	I	I	I
	<i>Velesia rigida</i> L.	Stiff velesia	Th	NE	II	0	III
Cistaceae	<i>Helianthemum ledifolium</i> (L.) Mill.	Rock-rose	Th	LC	I	0	I
Crassulaceae	<i>Sedum rubens</i> Jacq. ex Nyman	Red Stonecrop	Th	NE	I	0	I
Cucurbitaceae	<i>Bryonia multiflora</i> Boiss. & Heldr.	Bryony	Cr	NT	I	I	0
Dioscoreaceae	<i>Tamus communis</i> Link	Black bryony	Cr	NE	I	I	0
Euphorbiaceae	<i>Euphorbia cheiradenia</i> Boiss. & Hohen.	Spurge	He	NE	I	I	0
	<i>Euphorbia condylocarpa</i> M. Bieb.	Spurge	He	NE	I	I	0
	<i>Euphorbia helioscopia</i> L.	Sun spurge	Th	NE	I	I	0
	<i>Euphorbia macrocarpa</i> Boiss. & Buhse	Spurge	He	NE	I	I	0
	<i>Euphorbia phymatosperma</i> Boiss. & Gaill.	Spurge	Th	EN	I	II	0

Fabaceae	<i>Astragalus caryolobus</i> Bunge	Milkvetch	He	NT	I	I	0
	<i>Astragalus curvirostris</i> Boiss.	Milkvetch	He	LC	I	I	I
	<i>Astragalus echinops</i> Boiss.	Milkvetch	He	LC	I	I	0
	<i>Astragalus gossypinus</i> Fisch.	Milkvetch	He	LC	II	II	II
	<i>Astragalus michauxianus</i> Boiss.	Milkvetch	He	LC	II	I	II
	<i>Astragalus ovinus</i> Boiss.	Milkvetch	He	LC	I	I	I
	<i>Astragalus piranshahricus</i> Maassoumi & Podlech	Milkvetch	Ch	VU	I	I	0
	<i>Astragalus</i> sp.	Milkvetch	He	NE	I	I	I
	<i>Astragalus tortuosus</i> DC.	Milkvetch	He	LC	I	I	I
	<i>Astragalus verus</i> Olivier	Milkvetch	He	LC	I	0	I
	<i>Cicer oxyodon</i> Boiss. & Hohen.	Wild chickpea	Th	VU	I	I	0
	<i>Coronilla varia</i> L.	Crown vetch	He	NE	I	I	0
	<i>Lathyrus aphaca</i> L.	Yellow vetchling	Th	NT	I	I	0
	<i>Lathyrus inconspicuus</i> L. var. <i>inconspicuus</i>	Inconspicuous vetchling	Th	NT	I	0	II
	<i>Lathyrus rotundifolius</i> Willd.	Persian everlasting pea	Th	VU	I	I	0
	<i>Lens orientalis</i> subsp. <i>orientalis</i> (Boiss.) Ponert	Eastern lentil	Th	NE	I	0	I
	<i>Lotus corniculatus</i> var. <i>corniculatus</i> L.	Common bird's-foot-trefoil	Th	NE	I	I	I
	<i>Lotus gebelia</i> Var. <i>gebelia</i> Vent.	Bird's-foot-trefoil	He	NE	I	I	I
	<i>Medicago sativa</i> L.	Alfalfa, Lucerne	He	NE	I	I	0
	<i>Pisum sativum</i> L.	Garden pea	Th	NE	I	I	0
	<i>Trifolium campestre</i> C.C.Gmel.	Hop trefoil	Th	NE	I	I	I
	<i>Trifolium dasyurum</i> C.Presl	Eastern starry clover	Th	NE	I	I	0
	<i>Trifolium pilulare</i> Boiss.	Ball cotton clover	Th	LC	I	0	I
	<i>Trifolium pratense</i> L.	Red clover	He	NE	I	I	0
	<i>Trifolium purpureum</i> Gueldenst. ex Ledeb.	Purple clover	Th	NE	II	0	III
	<i>Trifolium repens</i> Walter	White clover	He	NE	I	II	0
	<i>Trifolium spumosum</i> L.	Mediterranean clover	Th	DD	I	I	I
	<i>Vicia michauxii</i> Schrank ex Steud.	Michaux' tare	Th	NE	I	I	I
	<i>Vicia narbonensis</i> L.	Narbonne vetch	Th	NE	I	II	I
	<i>Vicia sativa</i> subsp. <i>sativa</i> L.	Common vetch	Th	NE	I	II	0
	<i>Vicia sericocarpa</i> Fenzl	Vetch	Th	LC	I	I	I
	<i>Vicia variabilis</i> Freyn & Sint. ex Freyn	Vetch	Th	NE	II	III	I
	Fagaceae	<i>Quercus brantii</i> Lindl.	Brant's oak	Ph	NT	III	IV
	<i>Quercus i-ectoria</i> Oliv.	Aleppo oak	Ph	LC	V	V	V
	<i>Quercus libani</i> Oliv.	Lebanon oak	Ph	LC	IV	IV	IV
Gentianaceae	<i>Gentiana olivieri</i> Griseb.	Olivier's gentian	Cr	NE	I	I	I
Geraniaceae	<i>Geranium</i> sp.	Crane's-bill	Cr	NE	I	I	I
	<i>Geranium tuberosum</i> L.	Tuberous crane's-bill	Cr	NE	I	III	I

Hypericaceae	<i>Hypericum asperulum</i> Jaub. & Spach	St John's-wort	Cr	LC	I	I	I	
	<i>Hypericum lysimachioides</i> Boiss. & Noë	St John's-wort	Ch	LC	I	I	0	
	<i>Hypericum scabrum</i> L.	Scabrous St John's-wort	He	LC	I	0	I	
Iridaceae	<i>Iris reticulata</i> M.Bieb.	Netted iris	Cr	LC	I	I	I	
Ixioliriaceae	<i>Ixiolirion tataricum</i> (Pall.) Herb. & Traub	Lavender mountain-lily	Cr	LC	I	I	I	
Lamiaceae	<i>Lallemantia iberica</i> Fisch. & C.A.Mey.	Dragon's head	Th	NE	I	I	0	
	<i>Lamium album</i> subsp. <i>Album</i> L.	White dead-nettle	He	NE	II	II	II	
	<i>Lamium amplexicaule</i> var. <i>amplexicaule</i> L.	Henbit dead-nettle	Th	NE	I	I	I	
	<i>Marrubium astracanicum</i> Jacq.	Astrakhan horehound	He	NE	I	0	I	
	<i>Marrubium cuneatum</i> Banks & Sol.	Cuneate horehound	Cr	NE	I	0	I	
	<i>Nepeta sintenisii</i> Bornm.	Catnip	He	NE	I	I	0	
	<i>Phlomis persica</i> Boiss.	Persian Jerusalem sage	He	LC	II	I	II	
	<i>Salvia atropatana</i> Bunge	Atropatene sage	He	NE	I	I	0	
	<i>Salvia bracteata</i> Sims	Bracteate sage	He	NE	I	IV	0	
	<i>Scutellaria condensata</i> subsp. <i>pyncotricha</i> Rech.f.	Skullcap	He	EN	I	I	0	
	<i>Teucrium polium</i> Decne. ex C.Presl	Felty germander	Ch	NE	I	I	I	
	<i>Ziziphora capitata</i> L.	Ziziphora	Th	NE	IV	I	V	
	Liliaceae	<i>Fritillaria imperialis</i> L.	Crown imperial fritillary	Cr	NT	I	I	0
		<i>Fritillaria straussii</i> Bornm.	Strauss' fritillary	Cr	EN	I	I	0
<i>Tulipa systola</i> Stapf		Desert tulip	Cr	NT	I	I	I	
Malvaceae	<i>Alcea hohenackeri</i> Boiss.	Hollyhock	He	NE	I	0	I	
	<i>Alcea kurdica</i> (Schltdl.) Alef.	Kurdish hollyhock	He	NT	I	I	0	
Orchidaceae	<i>Cephalanthera kurdica</i> subsp. <i>kurdica</i> (Bornm.) H.Sundermann.	Kurdish helleborine	Cr	NT	I	I	0	
	<i>Comperia comperiana</i> (Steven) Asch. & Graebn.	Comperia	Cr	NE	I	II	0	
	<i>Epipactis helleborine</i> (L.) Crantz	Broadleaved helleborine	Cr	EN	I	II	I	
	<i>Ophrys reinholdii</i> subsp. <i>straussii</i> (H.Fleischm.) E.Nelson	Reinhold's bee-orchid	Cr	EN	I	I	0	
Orobanchaceae	<i>Ophrys sphegodes</i> var. <i>transhyrcana</i> (Czerniak.) P.J.Cribb	Transhyrcanian bee-orchid	Cr	EN	I	I	0	
	<i>Orobanche coelestis</i> Boiss. & Reut. ex Reut.	Broomrape	Th	NE	I	I	0	
	<i>Orobanche kochii</i> F.W.Schultz	Broomrape	Th	NE	I	I	0	
Papaveraceae	<i>Rhynchosorys elephas</i> (L.) Griseb.	-	Th	NE	I	I	0	
	<i>Fumaria vaillantii</i> Loisel.	Few-flowered fumitory	Th	EN	I	I	0	
	<i>Papaver bracteatum</i> Lindl.	Poppy	He	NE	I	I	0	
	<i>Papaver macrostomum</i> subsp.	Poppy	Th	VU	I	I	0	

	<i>macrostomum</i> Boiss. & A.Huet						
Plantaginaceae	<i>Plantago lanceolata</i> L.	Ribwort plantain	He	NE	I	I	I
	<i>Veronica bozakmanii</i> M.A.Fisch.	Speedwell	Th	NE	I	0	II
	<i>Veronica campylopoda</i> Boiss.	Bent-stalked speedwell	He	NE	II	I	II
	<i>Veronica orientalis</i> Mill.	Eastern speedwell	He	NE	I	I	0
Poaceae	<i>Aegilops triuncialis</i> L.	Barbed goatgrass	Th	NE	II	0	III
	<i>Alopecurus pratensis</i> L.	Meadow foxtail	He	NE	I	0	I
	<i>Avena sterilis</i> L.	Winter wild oat	Th	NE	I	I	0
	<i>Bromus danthoniae</i> var. <i>danthoniae</i> Trin. ex C.A.Mey.	Oat brome	Th	LC	IV	I	V
	<i>Bromus sterilis</i> L.	Barren brome	Th	LC	I	IV	I
	<i>Bromus tectorum</i> L.	Drooping brome	Th	LC	III	0	IV
	<i>Dactylis glomerata</i> L.	Orchard grass	He	NE	I	III	I
	<i>Elymus panormitanus</i> (Bertol.) Tzvelev	Woodland couch grass	Th	NT	I	II	I
	<i>Eremopoa persica</i> var. <i>persica</i> (Trin.) Roshev.	Persian hermitage	Th	VU	II	0	II
	<i>Heterantherium piliferum</i> Hochst. ex Jaub. & Spach	-	Th	NE	III	I	IV
	<i>Hordeum bulbosum</i> L.	Bulbous barley	Cr	LC	III	IV	III
	<i>Hordeum vulgare</i> L.	Common barley	He	LC	I	0	I
	<i>Milium pedicellare</i> (Bornm.) Roshev. ex Melderis	Milletgrass	Th	NE	I	I	0
	<i>Poa bulbosa</i> L.	Bulbous bluegrass	Cr	LC	IV	II	V
	<i>Taeniatherum crinitum</i> (Schreb.) Nevski	Medus-head	Th	NE	II	I	III
	<i>Trisetum flavescens</i> (L.) P.Beauv.	Yellow oatgrass	He	NE	I	I	0
Polygonaceae	<i>Polygonum aviculare</i> L.	Prostrate knotweed	He	NE	I	0	I
	<i>Rumex angustifolius</i> Engelm. ex Meisn.	Narrow-leaved dock	He	NE	I	II	0
Ranunculaceae	<i>Ceratocephalus testiculatus</i> (Crantz) Roth	Curveseed butterwort	Th	NE	II	0	II
	<i>Delphinium pallidiflorum</i> Freyn	Pale-flower larkspur	He	NE	I	I	0
	<i>Ranunculus arvensis</i> L.	Corn buttercup	Th	NE	I	I	I
	<i>Ranunculus aucheri</i> Clem. ex Boiss.	Buttercup	Cr	NE	II	II	III
	<i>Ranunculus constantinopolitanus</i> var. <i>villosus</i> (DC.) Mobayen & Z.Maleki	Constantinople buttercup	He	VU	I	I	0
	<i>Ranunculus demissus</i> Orphan. ex Nyman	Buttercup	Cr	NE	I	I	0
	<i>Ranunculus oxyspermus</i> Willd.	Buttercup	Cr	NE	I	I	0
	<i>Ranunculus pinardi</i> Boiss.	Buttercup	Th	NE	I	I	I
	<i>Ranunculus sericeus</i> Willd.	Illyrian buttercup	Th	NE	I	I	0
Rhamnaceae	<i>Paliurus spina-christi</i> Mill.	Jerusalem thorn	Ph	LC	I	I	0
Rosaceae	<i>Amygdalus communis</i> L.	Sweet almond	Ph	NE	I	I	0

	<i>Cerasus microcarpa</i> Boiss.	Small-fruited cherry	Ph	NE	I	IV	0
	<i>Cotoneaster morulus</i> Pojark.	Cotoneaster	Ph	NE	I	I	0
	<i>Crataegus pontica</i> K.Koch	Pontic hawthorn	Ph	NE	II	IV	I
	<i>Prunus communis</i> subsp. <i>divaricata</i> (Ledeb.) Brandis	Plum	Ph	NE	I	I	0
	<i>Pyrus syriaca</i> Boiss.	Syrian pear	Ph	NE	I	III	I
	<i>Rosa canina</i> Sol. ex Bab.	Common dog-rose	Ph	NE	I	III	0
Rubiaceae	<i>Asperula arvensis</i> L.	Blue woodruff	Th	NT	II	I	II
	<i>Callipeltis cucullaris</i> Stev.	-	Th	NE	I	0	I
	<i>Crucianella exasperata</i> Fisch. & C.A.Mey.	Crosswort	Th	VU	I	0	I
	<i>Crucianella gilanica</i> subsp. <i>carduchorum</i> Ehrend. & Schönb.-Tem.	Crosswort	He	VU	I	I	0
	<i>Galium aparine</i> L.	Cleavers	Th	NE	I	IV	0
	<i>Galium haussknechtii</i> Ehrend.	Bedstraw	Th	NT	I	I	0
	<i>Galium humifusum</i> M.Bieb.	Bedstraw	He	NE	I	I	0
	<i>Galium kurdicum</i> Boiss. & Hohen.	Bedstraw	He	NT	I	0	I
	<i>Galium setaceum</i> Lam.	Bedstraw	He	NT	I	0	I
	<i>Galium tricornutum</i> Dandy	Corn cleavers	He	NE	II	0	II
	<i>Galium verum</i> L.	Yellow bedstraw	He	NE	I	II	0
Scrophulariaceae	<i>Parentucellia latifolia</i> subsp. <i>flaviflora</i> (Boiss.) Hand.-Mazz.	Red bartsia	Th	NE	I	0	I
Thymelaeaceae	<i>Daphne mucronata</i> Royle	Kashmir daphne	Ph	NE	I	I	0
Urticaceae	<i>Parietaria lusitanica</i> subsp. <i>chersonensis</i> (Láng) Chrtek	Mediterranean pellitory-of-the-wall	Th	NE	I	0	I
Violaceae	<i>Viola modesta</i> Ball	Modest violet	Th	NE	I	I	0